Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 22, September 24, 2015

For the Period September 15 to 21, 2015

Cool and wet weather during the week slowed down harvest operations. Sixty per cent of the 2015 crop is now combined and 28 per cent is swathed or ready to straight-cut, according to Saskatchewan Agriculture's weekly Crop Report. The five-year (2010-2014) average for this time of year is 56 per cent combined and 27 per cent swathed or ready to straight-cut.

Regionally, producers in the southwest are furthest advanced, having 81 per cent of the crop combined. Producers in the southeast have 79 per cent combined. Fifty-two per cent of the crop is combined in the west-central region; 47 per cent in the east-central region; 32 per cent in the northwest and 34 per cent in the northeast.

Rainfall this past week ranged from trace amounts to nearly two inches in northern regions. Provincially, topsoil moisture conditions on cropland are rated as 11 per cent surplus, 81 per cent adequate, seven per cent short and one per cent very short. Hay land and pasture topsoil moisture conditions are rated as three per cent surplus, 82 per cent adequate, 13 per cent short and two per cent very short.

One year ago

Warm and dry weather allowed producers to return to the field. Forty-three per cent of the 2014 crop had been combined with an additional 37 per cent swathed or ready to straight cut.

Follow the 2015 Crop Report on Twitter @SKAgriculture

Saskatchewan Harvest September 21, 2015 % combined	
Winter wheat	99
Fall rye*	99
Spring wheat	55
Durum	70
Oats*	36
Barley**	61
Canaryseed	19
Flax	21
Canola	48
Mustard	72
Soybeans	25
Lentils	95
Peas	97
Chickpeas	35

*includes three per cent 'other'
**includes one per cent 'other'

Harvest Progress in SK Per cent Combined All Crops	
Sept 21/15	**60**
5 year avg. (2010-2014)	56
Sept 22/14	43
Sept 23/13	71
Sept 17/12	74
Sept 19/11	76
Sept 20/10	18
10 year avg. (2005-2014)	60

Some areas experienced frost, although damage is minimal in most cases as crops were mature. However, weather-related quality issues such as bleaching and sprouting continue to cause concern in some areas. While overall yields are reported to be about average, they vary from region to region.

Provincially, seven per cent of the pasture is reported to be in excellent condition while 52 per cent is in good condition, 34 per cent fair, six per cent poor and one per cent in very poor condition. Crop damage this past week was mainly attributed to rain, wind and flooding.

For further information, contact Brent Flaten, PAg,
Integrated Pest Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3714, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

The Ministry of Agriculture has a Forage, Feed and Custom Service listing for producers to advertise and source feed products. It is available at: www.agriculture.gov.sk.ca/FeedForageListing

Farmers are busy with harvest operations, fall spraying, machinery repairs, and hauling grain and bales.

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Heavy rains delayed harvest in most parts of the region. Seventy-nine per cent of the crop is in the bin, up from 73 per cent last week. The five-year (2010-2014) average for this time of year is 61 per cent combined. While many producers have finished harvest, others still need warm and dry weather to wrap things up.

Precipitation in the region ranged from trace amounts to 23 mm in the Moose Jaw area. At 414 mm, the Tantallon area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture is currently rated as five per cent surplus, 84 per cent adequate and 11 per cent short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 81 per cent adequate and 18 per cent short.

Continued rainfall has created quality issues such as bleaching and sprouting. Grain yields are reported to be about average. Five per cent of the pasture is reported to be in excellent condition while 34 per cent is in good condition, 56 per cent fair and five per cent in poor condition. Crop damage this past week was mainly attributed to rain, wind and flooding.

Farmers are busy with harvest operations, bale hauling and post-harvest weed control.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Heavy rains delayed harvest in most parts of the region. Eighty-one per cent of the crop is in the bin, up from 75 per cent last week. The five-year (2010-2014) average for this time of year is 66 per cent combined. Producers need warm and dry weather to complete harvest.

Rainfall in the region ranged from trace amounts to 38 mm in the Webb area. At 522 mm, the Mortlach area holds the regional and provincial records for the greatest

amount of rainfall since April 1. Cropland topsoil moisture is currently rated as 80 per cent adequate, 16 per cent short and four per cent very short. Hay land and pasture topsoil moisture is rated as 68 per cent adequate, 26 per cent short and six per cent very short.

Although many grain crops have yielded higher than expected, quality is an issue in some cereal crops as sprouting, bleaching and staining have downgraded samples. Six per cent of the pasture is reported to be in excellent condition while 45 per cent is in good condition, 35 per cent fair, 11 per cent poor and three per cent in very poor condition. Crop damage this past week was mainly attributed to rain, wind and flooding.

Farmers are busy harvesting, moving cattle and spraying weeds.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Cool, wet weather slowed down harvest progress in the region this past week. Forty-seven per cent of the crop is now combined, up from 37 per cent last week. The five-year (2010-2014) average for this time of year is 50 per cent combined.

Rainfall ranged from trace amounts to 35 mm in the Watrous area. At 414 mm, the Quill Lake area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as 17 per cent surplus, 79 per cent adequate, two per cent short and two per cent very short, while hay land and pasture topsoil moisture conditions are rated as six per cent surplus, 89 per cent adequate, three per cent short and two per cent very short.

Crop yields are average overall, but quality is a great concern for many producers as bleaching and sprouting is common in some areas due to the continued wet and cool conditions. Seven per cent of the pasture is reported to be in excellent condition, while 70 per cent is in good condition, 21 per cent fair and two per cent in poor condition. Crop damage this past week was mainly attributed to rain, wind and flooding.

Farmers are busy with harvest operations, bale hauling and post-harvest weed control.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)

Rainfall in the earlier part of the week delayed harvest in most parts of the region. Fifty-two per cent of the crop is in the bin, up from 40 per cent last week. The five-year (2010-2014) average for this time of year is 56 per cent combined . While many producers have finished harvest, others still need warm and dry weather to wrap things up.

Rainfall in the region ranged from four mm in the Smiley area to 38 mm in the Macklin area. At 355 mm, the Outlook area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture is currently rated as one per cent surplus, 97 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as 96 per cent adequate and four per cent short.

Although average yields are being reported overall, quality remains an issue in much of the region due to sprouting, bleaching and staining damage. Nine per cent of the pasture is reported to be in excellent condition, while 67 per cent is in good condition, 21 per cent fair and three per cent in poor condition. Crop damage this past week was mainly attributed to rain, wind and flooding.

Farmers are busy with harvest operations, bale hauling and post-harvest weed control.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Rainfall during the week delayed harvest in most parts of the region. Thirty-four per cent of the crop is in the bin, up from 29 per cent last week. The five-year (2010-2014) average for this time of year is 51 per cent combined. Many producers are hoping for warm, dry weather to allow them to get their crops into the bin.

Rainfall ranged from 10 mm in the Humboldt area to 48 mm in the Nipawin area. At 482 mm, the Nipawin area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as 42 per cent surplus, 54 per cent adequate and four per cent short. Hay land and pasture topsoil moisture is rated as 19 per cent surplus and 81 per cent adequate.

The recent rainfall and strong winds have caused significant lodging and there are many reports of sprouting, bleaching and staining in cereal crops in the area. Ten per cent of the pasture is reported to be in excellent condition, while 61 per cent is in good condition, 25 per cent fair and four per cent in poor condition. Crop damage this past week was mainly attributed to rain, wind and flooding.

Farmers are busy with harvest operations, bale hauling and post-harvest weed control.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Rainfall during the week delayed harvest in most parts of the region. Thirty-two per cent of the crop is in the bin, up from 30 per cent last week. The five-year (2010-2014) average for this time of year is 47 per cent combined. Many producers are hoping for warm, dry weather to allow them to get their crops into the bin.

Rainfall ranged from four mm in the Barthel area to 48 mm in the Speers area. At 370 mm, the Duck Lake area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as 12 per cent surplus, 87 per cent adequate and one per cent short. Hay land and pasture topsoil moisture is rated as seven per cent surplus, 89 per cent adequate and four per cent short.

Average yields are being reported in the region but, quality remains an issue in much of the region due to sprouting, bleaching and staining damage. Six per cent of the pasture is reported to be in excellent condition while 51 per cent is in good condition, 32 per cent fair, 10 per cent in poor and one per cent in very poor condition. Crop damage this past week was mainly attributed to rain, wind and flooding.

Farmers are busy with harvest operations, bale hauling and post-harvest weed control.

Saskatchewan Harvest Progress

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0.2	0	99.8	
west central	0	0	0	100	
northeast	0	0	0	100	
northwest	10	15	50	25	
provincial	**0.1**	**0.1**	**0.3**	**99.5**	
Fall Rye	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	**% other (greenfeed)**
southeast	0	0	0	99.4	0.6
southwest	0	0	0	95.4	4.6
east central	0	0.7	0	99.3	0
west central	0	0	0	99.3	0.7
northeast	0	0	0	99.3	0.7
northwest	2.5	15	20	42.5	20
provincial	**0**	**0.2**	**0.2**	**96.5**	**3.1**

Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	6	2.9	5	86.1	
southwest	7.7	2.4	17	72.9	
east central	15.6	19.5	18.2	46.7	
west central	20.5	10.5	24	45	
northeast	9.5	14.7	32.2	43.6	
northwest	15	14	33	38	
provincial	**13**	**11.5**	**20.9**	**54.6**	
Durum	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	5.5	6.7	3.2	84.6	
southwest	8.3	0.9	13.4	77.4	
east central	17.3	19.2	19.4	44.1	
west central	41.6	11.8	22.6	24	
northeast	0.5	24	38	37.5	
northwest	N/A	N/A	N/A	N/A	
provincial	**12.4**	**4.4**	**12.7**	**70.5**	
Barley	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	**% other (greenfeed)**
southeast	5.2	4.5	4.6	85	0.7
southwest	5.7	0.9	7.3	79.6	6.5
east central	10.2	25.2	10.7	53.7	0.2
west central	34.3	8.7	21.5	34.6	0.9
northeast	13.8	12.6	3.2	70.3	0.1
northwest	18.4	26.2	6.6	48.4	0.4
provincial	**14.8**	**14.5**	**9.9**	**59.6**	**1.2**
Oats	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	**% other (greenfeed)**
southeast	6	8.4	2	81.5	2.1
southwest	19.6	4.4	13.2	55.8	7
east central	25.7	30.7	12	30.6	1
west central	27.4	22.8	13.5	23.2	13.1
northeast	22.2	13.9	38.2	25.6	0.1
northwest	49.4	13.9	13.9	13.2	9.6
provincial	**25.1**	**19.5**	**19.2**	**33.4**	**2.8**
Canaryseed	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	43.1	2.1	26.6	28.2	
southwest	73.5	9.9	6.6	10	
east central	66.1	0	20.7	13.2	
west central	61.7	9.9	16.4	12	
northeast	81	6.7	5	7.3	
northwest	N/A	N/A	N/A	N/A	
provincial	**59.5**	**5.4**	**18.2**	**16.9**	
Flax	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	39.9	6.1	11	43	
southwest	72	4.5	9.6	13.9	
east central	72.6	11.4	12.3	3.7	
west central	74.5	8	11.6	5.9	
northeast	82.3	7.6	9.8	0.3	
northwest	50	15	20	15	
provincial	**60.6**	**7.4**	**11.2**	**20.8**	

Canola	% Standing	% in swath	% ready to straight combine	% combined	
southeast	3.1	17	0.2	79.7	
southwest	4.5	13.7	4.2	77.6	
east central	3.8	46.1	4.7	45.4	
west central	7.6	41.1	5.4	45.9	
northeast	3.7	71.7	3.3	21.3	
northwest	5.8	75.3	3	15.9	
provincial	**4.5**	**44.3**	**3.4**	**47.8**	
Mustard	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	5.8	0	5	89.2	
southwest	5.9	2.1	11.6	80.4	
east central	15.4	7.7	18.4	58.5	
west central	36	30.3	12.4	21.3	
northeast	0	40	20	40	
northwest	0	60	0	40	
provincial	**10.3**	**6.4**	**11.4**	**71.9**	
Soybeans	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	61	0	11.7	27.3	
southwest	71.5	0	5	23.5	
east central	96	0	3	1	
west central	66.3	0	16.6	17.1	
northeast	100	0	0	0	
northwest	N/A	N/A	N/A	N/A	
provincial	**64.7**	**0**	**10.7**	**24.6**	
Field Peas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0.5	99.5	
southwest	2.3	0	0	97.7	
east central	0	0.5	1.8	97.7	
west central	0.6	1.6	1.4	96.4	
northeast	1.9	0	0	98.1	
northwest	0	2.2	1.9	95.9	
provincial	**1**	**0.8**	**0.8**	**97.4**	
Lentils	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0.5	99.5	
southwest	0.7	0.2	1.7	97.4	
east central	0	0	7.5	92.5	
west central	4.1	3	5.7	87.2	
northeast	0	0.3	0.7	99	
northwest	13	0	0	87	
provincial	**1.5**	**0.9**	2.8	**94.8**	
Chickpeas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	34.6	0	36.9	28.5	
east central	0	0	0.1	99.9	
west central	83.3	0	0	16.7	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	**32.7**	**0**	**32.6**	**34.7**	

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

from September 8 to September 14, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 16, 2015

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period September 15 to 21, 2015

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	8	308
	3	Enniskillen	7	277
	33	Moose Creek	N/A	314
	34	Browning	13	310
	61	Antler	N/A	333
	63	Moose Mountain	8.69	241
	64	Brock	NIL	232
	65	Tecumseh	8	213
1B	91	Maryfield	N/A	280
	122	Martin	20	364
	123	Silverwood	13	356
	124	Kingsley	18	343
	125 A	Chester	12	317
	125 B	Chester	10	283
	151 A	Rocanville	16	414
	154	Elcapo	16	261
	155 A	Wolseley	10	394
2A	67	Weyburn	N/A	222
	68	Brokenshell	6	198
	97	Wellington	4	188
2B	127 A	Francis	10.5	297
	127 B	Francis	10	239
	129	Bratt's Lake	8	212
	131 A	Balldon	6	311
	131 B	Balldon	N/A	284
	156 A	Indian Head	11	258
	156 B	Indian Head	NIL	316
	160 A	Pense	13	220
	161	Moose Jaw	14	285
	162	Caron	23	246
	191	Marquis	14	329
3ASE	38 A	Laurier	5	171
	38 B	Laurier	6	170
	39 A	The Gap	10	193
3ASW	10	Happy Valley	5	172
	12	Poplar Valley	5	292
	40 A	Bengough	N/A	N/A
	40 B	Bengough	10	280
	42	Willow Bunch	N/A	252
	43	Old Post	5	197
	70	Key West	N/A	25
	73 A	Stonehenge	7.59	362
	73 B	Stonehenge	9	346
3AN	101	Terrell	6	283
	102	Lake Johnston	6.4	211
	103	Sutton	17	408
	132 A	Hillsborough	37	522
	132 B	Hillsborough	20	386
	134	Shamrock	N/A	32
	193 A	Eyebrow	14	359
	193 B	Eyebrow	13	388
3BS	17	Val Marie	20	212
	75 A	Pinto Creek	20	369
	75 B	Pinto Creek	N/A	43
	76	Auvergne	19	257
	77	Wise Creek	26	220
	78	Grassy Creek	25	199
	105	Glenbain	16.5	301
	106	Whiska Creek	25	293
	107	Lac Pelletier	32	165
	108	Bone Creek	8	210
3BN	138 A	Webb	38	294
	138 B	Webb	N/A	158
	166	Excelsior	27	322
	167	Sask. Landing	33.99	285
	168 A	Riverside	32	227
	168 B	Riverside	17.75	191
	226	Victory	N/A	216
	228	Lacadena	18	222
	257	Monet	20.79	234

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	19	229
	51	Reno	13.18	173
	79	Arlington	22	219
	109 A	Carmichael	38	218
	109 B	Carmichael	N/A	49
	110	Piapot	NIL	172
	111	Maple Creek	N/A	149
4B	139	Gull Lake	22	245
	142	Enterprise	NIL	231
	169	Pittville	N/A	111
	231	Happyland	N/A	117
5A	183	Fertile Belt	14	403
	186	Abernethy	N/A	284
	211	Churchbridge	4	305
	213	Saltcoats	11	359
	216	Tullymet	N/A	117
	241	Calder	7	266
	243	Wallace	NIL	165
	244	Orkney	15	231
	245 A	Garry	15	346
	245 B	Garry	28	342
	245 C	Garry	N/A	317
	246	Ituna Bon Accord	18	349
	247	Kellross	15	359
	248	Touchwood	N/A	307
5B	271	Cote	11	267
	273	Sliding Hills	15	252
	277	Emerald	20	327
	305	Invermay	25	324
	307	Elfros	17	334
	308 A	Big Quill	24	308
	308 B	Big Quill	5	294
	331	Livingston	N/A	150
	336	Sasman	23	314
	337	Lakeview	28	414
	338	Lakeside	N/A	333
	366	Kelvington	21	382
	367	Ponass Lake	N/A	373
6A	190 A	Dufferin	23	402
	190 B	Dufferin	19	346
	190 C	Dufferin	16	281
	190 D	Dufferin	10	218
	219 A	Longlaketon	24	349
	219 B	Longlaketon	16	364
	220	Mckillop	24	329
	221	Sarnia	17.38	317
	222	Craik	16	408
	251	Big Arm	15	272
	252	Arm River	22	367
	279	Mount Hope	22	283
	282	McCraney	22	315
	312	Morris	35	293
	313	Lost River	N/A	321
	339	Leroy	23.8	345
	340	Wolverine	24	386
	341	Viscount	N/A	401
	343 A	Blucher	25	414
	343 B	Blucher	N/A	135
6B	223	Huron	18	308
	284	Rudy	26	355
	285	Fertile Valley	22	310
	286	Milden	36	327
	314	Dundurn	20	304
	344	Corman Park	16	226
	346	Perdue	N/A	208
	376	Eagle Creek	35	266
	403	Rosthern	25	286

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	287	St. Andrews	38	325
	288	Pleasant Valley	24	277
	290 A	Kindersley	7.8	196
	290 B	Kindersley	10	180
	290 C	Kindersley	N/A	102
	292	Milton	7	187
	317 A	Marriott	20	210
	317 B	Marriott	23	265
	318	Mountain View	27	274
	320 A	Oakdale	15	233
	320 B	Oakdale	6	203
	321	Prairiedale	4	280
7B	347	Biggar	25	255
	350 A	Mariposa	20.29	227
	350 B	Mariposa	12	202
	351	Progress	N/A	201
	352	Heart's Hill	22	256
	377	Glenside	38	266
	378 B	Rosemount	21	272
	379	Reford	19	239
	381	Grass Lake	12	192
	382	Eye Hill	38.09	193
	409	Buffalo	26	221
	410	Round Valley	15.19	241
8A	395	Porcupine	N/A	382
	397	Barrier Valley	35.58	360
	428	Star City	30	420
	456	Arborfield	41	399
	457	Connaught	N/A	378
	486	Moose Range	48	394
	487	Nipawin	48	482
8B	369	St. Peter	10	331
	370 A	Humboldt	28	469
	370 B	Humboldt	N/A	417
	371	Bayne	30	360
	372	Grant	37.59	373
	400	Three Lakes	30	401
	402	Fish Creek	26	309
	429	Flett's Springs	41	410
	459	Kinistino	35	423
	460	Birch Hills	44.19	325
9AE	488	Torch River	23	314
	520	Paddockwood	18	330
	521	Lakeland	18	330
9AW	408	Mayfield	27	213
	435	Redberry	39	352
	436	Douglas	48	310
	463	Duck Lake	42	371
	467 A	Round Hill	18	251
	467 B	Round Hill	31	264
9B	438	Battle River	13	245
	440	Hillsdale	23.5	255
	442	Manitou Lake	16.68	233
	498 A	Parkdale	15	313
	498 B	Parkdale	15	255
	499 A	Mervin	13	275
	499 B	Mervin	N/A	62
	501 A	Frenchman Butte	13	283
	501 B	Frenchman Butte	9	248
	501 C	Frenchman Butte	N/A	269
	502	Britannia	N/A	171
	561	Loon Lake	4	340
	588 A	Meadow Lake	N/A	306
	588 B	Meadow Lake	N/A	N/A
	588 C	Meadow Lake	12	293
	622	Beaver River	N/A	233

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B and C - more than one reporter

Cumulative Rainfall

from April 1 to September 14, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 16, 2015

Cropland Topsoil Moisture Conditions

September 14, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 16, 2015

Hay and Pasture Topsoil Moisture Conditions

September 14, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 16, 2015